



Defytime Ltd 8A / 3 Shortland Street, Auckland 1010 New Zealand

Attention: Karl Kim

Project	19NZAK0001746
Submission No.	Defytime Tests
Despatched Date	15/02/2019
Received Date	01/03/2019

Customer Sample ID		Telomere Aging Care Capsules Batch:	Telomere TAM Oral Spray PCT/
Cypher		X7200 Exp:10/2020	NZ2016/ 050124
Eurofins Sample No.		5358036	5358037
Test/Reference	Unit		
Salmonella species Detection United States Pharmacopoeia Salmonella Detection	/10g	ND	ND
	/ TUg	ND	ND
Total Viable Aerobic Count United States Pharmacopoeia			
Total Viable Aerobic Count	cfu/g	<10	<10
Escherichia coli Detection United States Pharmacopoeia			
Escherichia coli Detection	/g	ND	ND
Staphylococcus aureus Detection United States Pharmacopoeia			
Staphylococcus aureus Detection	/g	ND	ND
Total Fungal Count United States Pharmacopoeia			
Total Fungal Count	cfu/g	<10	<10

Sample Comments

5358037 - To Prevent dry mouth, Tooth decay & gum diseases.

Report Results Information

Method Validation

Validation of the product type / method has not been performed.

Authorised By

Nikki Kantroo

Team Leader- Pharmaceutical Microbiology

Kelshy Jajana Maki

Taiana Mafi

KTP - Micro Pharmaceutical

Final Report

* Indicates IANZ accreditation does not cover the performance of this service

- Indicates Not Requested



Eurofins NZ Laboratory Services Ltd shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins NZ Laboratory Services Ltd be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise (**), the tests were performed on the samples as received.

The samples were not collected by Laboratory staff.