



Defytime Holding Ltd
8A/3 Shortland Street
Auckland, 1010
NZ

Client Account Number: A006792684RG
Eurofins Quote Number: X9NBPH22002702

Eurofins Sample Number FQ22AA2393-1		
Original Received Date:	22-Jul-2022	
Description:	Defytime Aging Care Capsules Double Strength	
Containers Submitted:	1 Bottle(s)	
Analysis	Result	Unit
# Total Aerobic Plate Count		
Total aerobic microbial count	<10	CFU/mL
Method: Current BP (XVIB); Current Ph Eur (2.6.12); Current USP/NF <61>; Current JP (English) <4.05 II> Analysis Date: 26-Jul-2022 to 29-Jul-2022		
# Total Yeast and Mould Count		
Total combined yeast/mould count	<10	CFU/mL
Method: Current BP (XVIB); Current Ph Eur (2.6.12); Current USP/NF <61>; Current JP (English) <4.05 II> Analysis Date: 26-Jul-2022 to 01-Aug-2022		
# Presence of Salmonella spp.		
Presence of Salmonella spp.	Absent	/mL
Method: Current BP (XVIB); Current Ph Eur (2.6.13); Current USP/NF <62>; Current JP (English) <4.05 II> Analysis Date: 26-Jul-2022 to 01-Aug-2022		
# Presence of E.coli		
Presence of E.coli	Absent	/mL
Method: Current BP (XVIB); Current Ph Eur (2.6.13); Current USP/NF <62>; Current JP (English) <4.05 II> Analysis Date: 26-Jul-2022 to 01-Aug-2022		
# Presence of S.aureus		
Presence of S. aureus	Absent	/mL
Method: Current BP (XVIB); Current Ph Eur (2.6.13); Current USP/NF <62>; Current JP (English) <4.05 II> Analysis Date: 26-Jul-2022 to 29-Jul-2022		



Supplemental Information

This Test Report has been issued for information purposes only. The test item(s) has/have been tested by qualified personnel using equipment/facilities qualified according to GMP guidelines. Raw data and results have been reviewed by second person. The analytical method used for this testing has not been validated, qualified, verified or transferred from a laboratory acting as sending unit.

Test is performed in accordance with ISO/IEC 17025:2017. IANZ Accreditation Number 1341.

Contracted Company: Eurofins BioPharma Product Testing NZ Ltd

35 O'Rorke Road, Penrose, Auckland 1061 New Zealand
nzbipharma@eurofins.com

Questions about this report should be directed to your project manager or the general email listed above.